

## Door Holders


The 2108 Door Holder Loop Plate is generally fitted towards the top of a door, with the Hook Plate fitted to the wall.

The design of the Hook is such that the mechanism is self latching with manual release.

The 2117 Door Stop/Holder incorporates a spring loaded plunger to automatically hold the door open. Supplied with two finish matched door edge protection plates.



▲ 2108



### Fixings

2108 supplied with finish matched no.8 x 25mm wood screws.

2117 supplied with finish matched no.6 x 25mm wood screws.



### How to Order

- 1) select PRODUCT (e.g. **2108**)
- 2) add FINISH (e.g. **2108SC**).

**Finishes** - See our price list or website for finish availability.



▲ 2117



## Door Stops - Wall Mounted

Four designs of Wall/Skirting Mounted Door Stops, three of which are available in two lengths; with custom lengths available upon request on the 2119 & 2120.

The 2119 & 2120 have removable Rubber Stops for fixing screw access. The 2125 pillar unscrews to expose fixing screw position.



▲ 2119




▲ 2120



▲ 2125




▲ 2126





	A	B
P (projection)	61	74

other lengths available upon request



	A	B
P (projection)	64	77

other lengths available upon request



	A	B
P (projection)	86	113

### Fixings

2119 & 2120 supplied with no.12 x 38mm wood screws.

2125 supplied with 5mm x 30mm wood screw.

2126 supplied with finish matched no.6 x 19mm wood screws.

### How to Order

1) select STOP (e.g. **2126**)

2) add FINISH (e.g. 2126**PC**)


2119, 2120 & 2126 only - add SIZE (e.g. 2126**PC/A**).

**Finishes** - See our price list or website for finish availability.


## Door Stops - Wall Mounted

Three designs of Wall/Skirting Mounted Door Stops with the 2118 available in three lengths.


The 2111 is designed to be wall mounted at handle height to protect the wall surface from damage in a situation where a skirting stop cannot be used (e.g. hospital corridor).



▲ 2111



▲ 2115



▲ 2118

### Fixings

2111 supplied with finish matched no.4 x 13mm wood screws.

2115 supplied with finish matched no.6 x 19mm wood screws.

2118 supplied with finish matched no.6 x 19mm wood screws.

### How to Order

1) select STOP (e.g. **2118**)

2) add FINISH (e.g. 2118**PB**)






2118 only - add SIZE (e.g. 2118PB/**B**).

**Finishes** - See our price list or website for finish availability.

2118	A	B	C
P (projection)	51	63	76

## Door Stops - Floor Fixed

A selection of six Floor Fixed Door Stops, featuring a regular sized Oval Shielded Door Stop (2112), along with two taller versions (2114 & 2122) to cater for thick pile carpets and stepped thresholds. The 2123 'Periscope' Door Stop is a stylish choice which transforms the humble door stop into a design statement.



### Fixings

2112, 2114 & 2123 supplied with finish matched no.8 x 25mm wood screws and anti-rotation pins.

2122 supplied with finish matched no.8 x 38mm wood screws.


2089 supplied with no.6 x 19mm wood screws and a black centre bolt to secure the rubber stop.

2130 supplied with no.12 x 38mm wood screw

### How to Order

- 1) select STOP (e.g. **2112**)
- 2) add FINISH (e.g. 2112**PB**).

**Finishes** - See our price list or website for finish availability.








## Coat Hooks

An Art Deco design of Hat & Coat Hook (9554) along with a complementary Robe Hook (9552).


The 2651 Multiple Coat Hook is ideal for use in restaurants, cocktail bars and pubs.



▲ 9554



▲ 9552



### Fixings

9552 & 9554 supplied with finish matched no.6 x 19mm wood screws.

2651 supplied with finish matched no.8 x 25mm wood screws.


### How to Order

- 1) select HOOK (e.g. **9552**)
- 2) add FINISH (e.g. 9552**PC**).

**Finishes** - See our price list or website for finish availability.



▲ 2651




## Coat Hooks

Two designs of Hat & Coat Hook - oval & square backed, along with two Robe Hooks.

The oval backed Hat & Coat Hook (1279) is available in two sizes.




▲ 1279



	A	B
P (projection)	55	75
H (height)	115	135



▲ 1286



### Fixings

Supplied with finish matched no.6 x 19mm wood screws.


### How to Order

- 1) select HOOK (e.g. **1279**)
  - 2) add FINISH (e.g. 1279**PB**)
- 1279 only - add SIZE (e.g. 1279PB/**A**).


**Finishes** - See our price list or website for finish availability.



▲ 1301



▲ 1319




## Handrail Brackets & Cabin Hooks

A traditional design Handrail Bracket available in two sizes, along with two designs of Cabin Hook each available in a variety of lengths. The 0476 is also available in custom lengths if required.



▲ 3189




Due to different manufacturing methods, the solid bronze and brass versions vary dimensionally as shown below.

	Plate Diameter (D)		Projection (P)		Height (H)	
A	60	51	64	64	44	52
B	64	51	75	76	40	52



▲ 0476



	A	B	C	D	E	F	G
L (length)	—	76	102	152	203	254	305
Plate size	30 x 30			40 x 40			

other lengths available upon request

### Fixings

3189 supplied with finish matched no.8 x 25mm wood screws for rail fixing and finish matched no.8 x 38mm wood screws for base fixing.

0474 all sizes and 0476 B & C supplied with finish matched no.6 x 19mm wood screws.


0476D supplied with finish matched no.6 x 32mm wood screws.

0476E, F & G supplied with finish matched no.8 x 25mm wood screws.


### How to Order

- 1) select PRODUCT (e.g. **0476**)
- 2) add FINISH (e.g. **0476PB**)
- 3) add SIZE (e.g. **0476PB/E**).

**Finishes** - See our price list or website for finish availability.



▲ 0474



	A	B	C	D
L (length)	51	76	102	152
Plate size	32 x 22		36 x 25	





## Passage Latch

A Passage Latch available with two latch spring strengths - 'light' for unsprung regular Knob Sets & sprung Lever Sets, and 'heavy' for unsprung Lever Sets & unsprung heavy Knob Sets, featuring a traditional handed Strike Plate supplied with a matt black Dust Box.

Strike & Face Plates along with cut head screws are supplied fully finish matched.



### ▲ 7520/7521 Latch & Strike Set

Light spring two-way action for unsprung regular Knob Sets & sprung Lever Sets.

### 7524/7525 Latch & Strike Set

Heavy spring single action for unsprung Lever Sets & unsprung heavy Knob Sets.

### Fixings

Lock Case supplied with no.6 x 25mm zinc plated steel wood screws. Lock Case Face Plate supplied with M4 x 6mm finish matched machine screws. Strike Plate supplied with finish matched no.6 x 38mm wood screws.

Fixing packs available to be ordered separately - use code 01/026 (add finish)

### How to Order

#### Latch & Strike Set:

- 1) select LATCH SET (e.g. **7520**)
- 2) add FINISH (e.g. **7520PC**)

#### Strike Plate only:


**7521STRIKE** - for 7521 & 7525

**7520STRIKE** - for 7520 & 7524


- 1) select STRIKE (e.g. **7520STRIKE**)
- 2) add FINISH (e.g. **7520STRIKE/PC**)

**Finishes** - See our price list or website for finish availability.


NB. Latch supplied in satin brass & dust box supplied matt black.



UK Specification	HANDING	CODE	ACTION
	LEFT	<b>7520</b>	light spring double action
	RIGHT	<b>7521</b>	light spring double action
	LEFT	<b>7524</b>	heavy spring single action
	RIGHT	<b>7525</b>	heavy spring single action



USA Specification	HANDING	CODE	ACTION
	RIGHT	<b>7520</b>	light spring double action
	LEFT	<b>7521</b>	light spring double action
	RIGHT	<b>7524</b>	heavy spring single action
	LEFT	<b>7525</b>	heavy spring single action



# Privacy Lock

A Privacy Lock available with two latch spring strengths - 'light' for unsprung regular Knob Sets & sprung Lever Sets, and 'heavy' for unsprung Lever Sets & unsprung heavy Knob Sets, featuring a traditional handed Strike Plate supplied with a matt black Dust Box. Strike & Face Plates along with cut head screws are supplied fully finish matched.

A universal hub caters for either square or diamond orientated Turn spindles.



## Fixings

Lock Case supplied with no.6 x 25mm zinc plated steel wood screws. Lock Case Face Plate supplied with M4 x 6mm finish matched machine screws. Strike Plate supplied with finish matched no.6 x 38mm wood screws. Fixing packs available to be ordered separately - use code 01/026 (add finish)

## How to Order

### Lock & Strike Set:

- 1) select LOCK SET (e.g. **7530**)
- 2) add FINISH (e.g. 7530**PC**)

**Strike Plate only:**

**7531STRIKE** - for 7531 & 7535

**7530STRIKE** - for 7530 & 7534

- 1) select STRIKE (e.g. **7530STRIKE**)
- 2) add FINISH (e.g. **7530STRIKE/PC**)

**Finishes** - See our price list or website for finish availability.

NB. Latch and Dead Bolt supplied in satin brass & dust box supplied matt black.




7531 shown

**▲ 7530/7531 Lock & Strike Set**

Light spring two-way action for unsprung regular Knob Sets & sprung Lever Sets.



## 7534/7535 Lock & Strike Set

Heavy spring single action for unsprung Lever Sets & unsprung heavy Knob Sets.



UK Spec	HANDING	CODE	ACTION
	LEFT	<b>7530</b>	light spring double action
	RIGHT	<b>7531</b>	
	LEFT	<b>7534</b>	heavy spring single action
	RIGHT	<b>7535</b>	

USA Spec	HANDING	CODE	ACTION
	RIGHT	<b>7530</b>	light spring double action
	LEFT	<b>7531</b>	
	RIGHT	<b>7534</b>	heavy spring single action
	LEFT	<b>7535</b>	



## 3 Lever Bit Key Lock

A 3 lever Bit Key Lock available with two latch spring strengths - 'light' for unsprung regular Knob Sets & sprung Lever Sets, and 'heavy' for unsprung Lever Sets & unsprung heavy Knob Sets, featuring a traditional handed Strike Plate supplied with a matt black Dust Box.

Strike & Face Plates along with cut head screws are supplied fully finish matched.



2 nickel plated keys supplied

7541 shown

### ▲ 7540/7541 Lock & Strike Set

Light spring two-way action for unsprung regular Knob Sets & sprung Lever Sets.

### 7544/7545 Lock & Strike Set

Heavy spring single action for unsprung Lever Sets & unsprung heavy Knob Sets.

### Fixings

Lock Case supplied with no.6 x 25mm zinc plated steel wood screws. Lock Case Face Plate supplied with M4 x 6mm finish matched machine screws. Strike Plate supplied with finish matched no.6 x 38mm wood screws.

Fixing packs available to be ordered separately - use code 01/026 (add finish)

### Differs

100 standard differs with up to 500 available to special order.

### How to Order

#### Lock & Strike Set:

- 1) select LOCK SET (e.g. **7540**)
- 2) add FINISH (e.g. **7540PC**)

#### Strike Plate only:


**7541STRIKE** - for 7541 & 7545

**7540STRIKE** - for 7540 & 7544


- 1) select STRIKE (e.g. **7540STRIKE**)
- 2) add FINISH (e.g. **7540STRIKE/PC**)

**Finishes** - See our price list or website for finish availability.


NB. Latch and Dead Bolt supplied in satin brass & dust box supplied matt black.



UK Specification	HANDING	CODE	ACTION
	LEFT	<b>7540</b>	light spring double action
	RIGHT	<b>7541</b>	light spring double action
	LEFT	<b>7544</b>	heavy spring single action
	RIGHT	<b>7545</b>	heavy spring single action



USA Specification	HANDING	CODE	ACTION
	RIGHT	<b>7540</b>	light spring double action
	LEFT	<b>7541</b>	light spring double action
	RIGHT	<b>7544</b>	heavy spring single action
	LEFT	<b>7545</b>	heavy spring single action




# Sliding Door Lock

A Sliding Door Lock with Hook & Anti Lift Bar featuring a traditional Strike Plate supplied with a matt black Dust Box.

Strike & Face Plates along with cut head screws are supplied fully finish matched.

A universal hub caters for either square or diamond orientated Turn spindles.



▲ 7560

## Fixings

Lock Case supplied with no.6 x 25mm zinc plated steel wood screws. Lock Case Face Plate supplied with M4 x 6mm finish matched machine screws. Strike Plate supplied with finish matched no.6 x 38mm wood screws.


Fixing packs available to be ordered separately - use code 01/026 (add finish)

## How to Order

1) add FINISH (e.g. 7560**PC**)

**Finishes** - See our price list or website for finish availability.

NB. Hook & Anti-lift Bar supplied in satin brass & dust box supplied matt black.






## Sliding Door Lock - with optional cylinder locking function

A multi-functional Sliding Door  
Lock with integrated, retractable,  
Pull Loop.

This Lock can be set up for either Cylinder & Turn, Turn & Release, or Turn only operation.

A particular feature is the finish matched Pull, Face Plate, Release Button, Strike Plate, and screws.



7565



## Fixings


Lock Case supplied with no.6 x 25mm zinc plated steel wood screws. Lock Case Face Plate supplied with finish matched machine screws. Strike Plate supplied with finish matched no.6 x 38mm wood screws.

## How to Order

1) add FINISH (e.g. 7565**PC**)

**Finishes** - See our price list or website for finish availability.

**Lock Case  
thickness 18mm**



Light touch  
Pull retraction  
or automatic  
retraction when  
Pull contacts  
door frame.

(\*) the lock case takes any 1.15" mortise cylinder 32UNS-2B (not supplied)



# Passage Latches & Privacy Deadbolts

A Tubular Passage Latch available with two latch spring strengths - 'light' for use with unsprung regular Knob Sets and sprung Lever Sets, and 'heavy' for use with unsprung Lever Sets & unsprung heavy Knob Sets, along with complementary Privacy Deadbolts; all available in five lengths/backsets, featuring traditional Strike Plates supplied with matt black dust boxes.

Strike & Face Plates along with cut head screws are supplied fully finish matched.




▲ **7500** (light springing - for use with unsprung regular Knob Sets & sprung Lever Sets)  
**7512** (heavy springing - for use with unsprung Lever Sets & unsprung heavy Knob Sets)



▲ **7555/7556**



▲ **7555** 5mm universal hub



▲ **7556** 8mm square hub

## Fixings


Supplied with finish matched no.6 x 25mm wood screws.

## How to Order

- 1) select PRODUCT (e.g. **7512**)
- 2) add FINISH (e.g. **7512PC**)
- 3) add SIZE (e.g. **7512PC/C**).

**Finishes** - See our price list or website for finish availability.

NB. Latch supplied in satin brass & dust box supplied matt black.



	A	B	C	D	E
BS (backset)	60	70	75	100	130
M (depth of mortice)	80	93	100	127	152

## Rack Bolts

A solid brass Mortice Rack Bolt available in three lengths/backsets and offered in five configurations:

Bolt & Strike Plate only;  
with Escutcheon Plate;  
with Key & Escutcheon Plate;  
with Oval Knob Turn; or  
with Oval Knob Turn & Coin Release.




▲ 0515



▲ 0516 (excluding Key)  
0517 (including Key)



▲ 0525



▲ 0526

### Fixings

Rack Bolts supplied with finish matched no.4 x 19mm wood screws.

Turns and Releases supplied with finish matched no.4 x 13mm wood screws.

### How to Order

- 1) select BOLT (e.g. 0525)
- 2) add FINISH (e.g. 0525PC)
- 3) add SIZE (e.g. 0525PC/B).

**Finishes** - See our price list or website for finish availability.



Rack Bolts supplied with 0525 & 0526 are not available in all finishes (see below).

0517KEY supplied nickel plated only.

0525 & 0526 Rack Bolt Sets	
Finish ordered	Rack Bolt finish supplied
PGA/RG	IB
PG/PGU	PB
SG/SGU	SB
RGN	SN




▲ to order separately use code 0517KEY



	A	B	C
BS (backset)	32	45	57
M (depth of mortice)	62	75	87

A 25mm backset version is available see page WF2:190



max door thickness

(longer spindles available upon request)

Turn & Releases available without Rack Bolts - see page DF6:010

## Dead-Fixing Roller Latch

A novel Dead-Fixing Roller Latch incorporating a heavy duty, site adjustable, Roller Latch with a Dead-Fixing Slot suitable for both solid and pre-bored doors, featuring a traditional Strike Plate supplied with a matt black Dust Box.

Strike & Face Plates along with cut head screws are supplied fully finish matched.

This Latch is also suitable for installing into the top rail of a double door set for use in conjunction with fixed dead/dummy knobs & levers.



▲ 7804




solid door  
installation



▲ installed

▲ 8mm spindle inserted



pre-bored door  
installation



▲ installed

▲ 8mm spindle inserted

### Fixings


Supplied with finish matched no.6 x 25mm wood screws.

### How to Order

Add FINISH (c.g. 7804PC).

**Finishes** - See our price list or website for finish availability.

NB. Roller supplied in satin brass finish only & dust box supplied matt black.





# Fix-Dead Dummy Insert

A Fix-Dead Dummy Insert ideal for installation into either a solid or pre-bored door where no latching is required.

Face Plate along with cut head screws are supplied fully finish matched.



approx actual size

▲ 7802




solid door  
installation



▲ installed

▲ spindle inserted



pre-bored door  
installation



▲ installed

▲ spindle inserted

## Fixings


Supplied with finish matched no.6 x 25mm wood screws.

## How to Order

1) Add FINISH (e.g. 7802PC)

**Finishes** - See our price list or website for finish availability.

NB. Dummy Insert supplied in mill finish brass.







## Solid Bronze Door Hinges

A Solid Bronze ANSI specification Door Hinge available in three sizes, with eight Finial designs, and the option of a non-removable pin for outward opening doors (where enhanced security is required).


Supplied with finish matched cut head screws.



7425 shown in Rustic Nickel



7425 A size shown



All hinges manufactured to comply with ANSI Standard preparations



finish matched cut head screws supplied



### Fixings

Door Hinges supplied with finish matched no. 12 x 32mm wood screws.

### How to Order

- 1) select HINGE (e.g. 7421)
- 2) add FINISH (e.g. 7421RG)
- 3) add SIZE (e.g. 7421RG/B)

If non-removable pin required add NRP to code (e.g. 7421RG/B/NRP).


### Finishes



Available in solid bronze finishes only.



## Fasteners



Code	Size	Number per pack	Finishes available
Raised CSK Wood Screw Packs			
01/018	no.4 x 13mm	4	Available in finishes except Stainless Steel & Zinc Plated Steel
01/012	no.4 x 13mm	10	
01/029	no.4 x 19mm	6	
01/020	no.6 x 16mm	6	
01/001	no.6 x 19mm	4	
01/002	no.6 x 19mm	6	
01/003	no.6 x 25mm	4	
01/004	no.6 x 25mm	6	
01/005	no.6 x 32mm	4	
01/006	no.8 x 25mm	4	
01/007	no.8 x 25mm	6	
01/014	no.8 x 32mm	4	
01/015	no.8 x 32mm	6	
01/030	no.10 x 38mm	4	Polished Brass finish only
Flat CSK Wood Screw Packs			
01/011	no.4 x 13mm	4	Available in finishes except Stainless Steel & Zinc Plated Steel
01/017	no.4 x 19mm	8	
01/016	no.4 x 25mm	10	
01/035	no.6 x 19mm	4	
01/022	no.6 x 25mm	4	
01/031	no.8 x 25mm	4	
01/028	no.12 x 32mm	8	
Pozidrive CSK Wood Screw Pack			
01/032SS	no.4 x 13mm	8	Stainless Steel only
Raised CSK Machine Screws			
02/016	M3.5 x 12mm	1	Available in finishes except Stainless Steel & Zinc Plated Steel
02/023	M5 x 35mm	1	
02/086	M5 x 40mm	1	
Multi-Screw Packs			
01/026	no.6 x 38mm CSK	2	Available in finishes except Stainless Steel & Zinc Plated Steel (*) Stainless Steel only
	M4 x 6mm CSK	2	
	no.6 x 25mm Pozidrive CSK twin threads (*)	2	
01/036	no.6 x 19mm Pozidrive CSK	8	Stainless Steel only
	M5 x 70mm break-off <sup>M</sup> /c screw	2	
Flat CSK Slotted Machine Screws			
02/051	M3 x 10mm		Available in finishes except Stainless Steel & Zinc Plated Steel
02/053	M4 x 12mm	1	
02/044	M5 x 10mm	1	
Flat CSK Pozidrive Machine Screws			
02/026SS	M4 x 12mm	1	Stainless Steel only
02/094SS	M5 x 50mm	1	Stainless Steel only
02/040Z	M6 x 50mm	1	Zinc Plated Steel only
02/039Z	M8 x 50mm	1	Zinc Plated Steel only
Allthreads			
14/024Z	M6 x 75mm	1	Zinc Plated Steel only
14/022Z	M10 x 75mm	1	
14/023Z	M12 x 75mm	1	
Flange Head Machine Screws			
02/096Z	M4 x 50mm	1	Zinc Plated Steel only



▲ 11/005R  
(2089 & 2117 Door Stops)



▲ 11/001R  
(2112 & 2114 Door Stops)



▲ 11/027R  
(2122 Door Stop)



▲ 11/002R  
(2115, 2119, 2120  
& 2126 Door Stops)



Assembly rivet included

▲ 11/003R  
(2118 & 2123 Door Stops)



▲ 11/006R  
(2111 Door Stop)



▲ 11/028R  
(2125 Door Stop)



▲ 11/029R  
(2130 type Door Stops)



▲ 05/033N  
Allart Select Shoulder  
Washer




▲ 05/031N  
Traditional Lever/  
Knob Shoulder Washer



▲ 10/001S  
9mm Star Lock Washer



▲ 09/001S  
Circlip for Lever/Knob  
assembly



▲ 04/024(add finish)  
Slotted M5 Blind Nuts



(RH) (LH)

▲ 06/014S (LH)  
06/013S (RH)  
Door Lever Springs



▲ B7600KEY  
M5 Allen Key



▲ B7601KEY  
M6 Allen Key



▲ 20/033SS  
M6 x 8mm Grubscrew



▲ 20/021SS  
M5 x 8mm Grubscrew



▲ 02/087Z  
M4 x 25mm Dowel  
Screw